


Aviation Ground Fuelling Solutions



Fuelling products

Hi & Low Point

WL4231-01-AM



We develop creative, comprehensive and sustainable engineering solutions for a future where customers can thrive.

Equipped with an intimate understanding of local intricacies, world-class talent and proactive leadership, we design in close cooperation with our customers modular, flexible start to the art ground fueling equipment.

Benefits

- 1 x 1 ½" Dry Break Tank Unit with Pressure relief /Bleed valve
- 2 x 1 ½" Ball Valves Firesafe ASME CL 150 RF
- 1 x 6" Base Flange ASME CL 300 RF
- Dust Cap
- 3.1 Certificates

Additional Features

- Pressure relief /Bleed valve – side
- Pressure relief / Bleed Valve in Base Flange

Key Features


- 1 x 1 ½" Dry Break Tank Unit with pressure relief / Bleed valve
- 2 x 1 ½" Ball Valves Firesafe ASME CL 150 RF
- 1 x 6" Base Flange ASME CL 300 RF
- 3.1 Certificates
- EI - 1584
- EI - 1540
- EI - 1542

Optional

- Pressure relief /Bleed valve – side
- Pressure relief /Bleed valve in base flange
- Fully factory assembled

AMEC-EUROPE LTD.

Aviation Ground Fuelling Solutions




Technical details

Description	WL4231-01-AM	WL4231-01-AM Opt-01	WL4231-01-AM Opt-02
1 ½" Dry Break Tank Unit with pressure relief / Bleed valve	✓	✓	✓
1½" Ball Valves Firesafe ASME CL 150 RF	✓	✓	✓
1½" Ball Valves Firesafe ASME CL 150 RF	✓	✓	✓
6" Base Flange ASME CI 300 RF	✓	✓	✓
Pressure relief /Bleed valve – side	✓	✓	✗
Pressure relief /Bleed valve in base flange	✗	✓	✗
Fully factory assembled	✓	✓	✓
Flat sealing ring -Graphite 98% / spit sheet 1.4401 according to ANSI B16.21 for flanges with smooth sealing strip (RF) according to ASME / ANSI B16.5 - 6 ", 300 lbs - Ø 251 x Ø 168 x 2 mm - (AD x ID x thickness) -with inner eyelet made of 1.4571 - General tolerance: DIN 7715 part 5 P2 Material: graphite / 1.4404	✓	✓	✓
Stud Bold M20x80 - DIN 939 (1.25D) - Material: 1.4301	✓	✓	✓
Nut M20 - DIN 934 - Material: 1.4301	✓	✓	✓
Sleeve 21x37x3 - DIN 125 - Material 1.4301	✓	✓	✓
Certificates Material 3.1	✓	✓	✓
EI - 1584	✓	✓	✓
EI - 1540	✓	✓	✓
EI - 1542	✓	✓	✓



Agenda	
Included	✓
On Demand	○
Not Included	✗

AMEC-EUROPE LTD.



Aviation Ground Fuelling Solutions



Dimensions & Schematic view Hi-Point




Low-Point



AMEC-EUROPE LTD.

Aviation Ground Fuelling Solutions



Accessories

- Retaining rope – Tether
- Seal – O-Ring
- Dust CUP
- Hinge Kit WL6000-01-AM
- Stainless steel plate (engraved text)

Other hydrant pit products

- AMEC Pit Box
 - WL4354-01-AM
 - WL5225-01-AM
 - WL6000-01-AM
 - WL7900-01-AM
 - WL3640-01- AM
 - WL4354-01-AM-S
 - WL5225-01-AM-S
- AMEC High-Low Point
 - WL4231-01-AM
- AMEC Accessory
 - Distance Ring
 - WL6000-01-AM Elevation Ring
- CLA-VAL
 - Hydrant Pit Valve
 - Hydrant Isolation Valve
- Rolling Cover Pit Assembly
- AMEC Consulting Service
 - EPC – EPCM
 - Project Management

Global Network

Africa

Spain



Cetil Dispensing Technology, S.L.
Calle Pelaya, 37. P.I. Río de Janeiro
28110 - Algete (Madrid) - España
Tel.: +34 916 287 651
Fax: +34 916 287 653
cetil@cetil.com | www.cetil.com

Asia

FLOWCO



FLOWCO ASIA PACIFIC (PTE) LTD
Mailing Address: Tampines Central P.O. Box 0266 Singapore 915209
3018 Bedok North St 5 #01-21 EASTLINK Singapore 486132
Tel: (65) 6542 4707 Fax: (65) 6542 4702 Email: Flowco@singnet.com.sg

India

AMEC-EUROPE LTD.

Administration – Management – Education – Consulting

Post Box India

c/o Nasar Hussain - #107 - 108, JN Complex - Above KFC Gunfoundry

Abids - 500001 - Hyderabad - Telangana - India

Mobil +91 86699 913 16 – E-Mail nhussain@amec-europe.com - www.agfs.aero

Manufacturer



www.krause-gussprodukte.de



Please contact our sales for further
Information at www.agfs.aero.com

Note: specifications are subject to change without notice.

AMEC-EUROPE LTD.